

Safety Data Sheet acc. to OSHA HCS

Printing date 08/01/2013 Reviewed on 08/01/2013

1 Identification

- · This product is considered an article. This Safety Data Sheet is written based on the encapsulated substance or mixture in this article.
- · **Product identifier:** Gas purifying filter
- · Trade name: CRS ZPureTM H2O Moisture-Removing Purifier
- · Article number:

202230-B, 202230-SS, 202231-B, 202231-SS, 202230R-B, 202230R-SS, 202231R-B, 202231R-SS, 202230XL-B, 202230XL-SS, 202231XL-B, 202231XL-SS

- **SDS number:** 991054
- · Application of the substance / the preparation Purifying gas
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Chromatography Research Supplies, Inc.

2601 Technology Drive

Louisville, KY 40299 USA

msds@chromres.com

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (502) 491-6300

CHEMTREC (24 Hours) 800-424-9300 (U.S.A.)

When Calling from Outside the U.S.A., Dial Your Access Code for the U.S.A., then 1, then 703-527-3887.

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

H318 Causes serious eye damage.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



X Irritant

Risk of serious damage to eyes.

- · Information concerning particular hazards for human and environment:
- The product has to be labeled due to the calculation procedure of international guidelines.
- · Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:

Calcium oxide

· Hazard statements

Causes serious eye damage.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/01/2013 Reviewed on 08/01/2013

Trade name: CRS ZPureTM H2O Moisture-Removing Purifier

(Contd. of page 1)

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

Immediately call a POISON CENTER or doctor/physician.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



2 Health = 2

Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:		
1344-28-1	Aluminum oxide		0-50%
1305-78-8	Calcium oxide	<i>♦ Н318</i>	0-30%
14808-60-7	Quartz (SiO2)		<7%
· Additional	Components		
7631-86-9	Silicon dioxide, chemically prepared		0-75%
1313-59-3	Sodium oxide		0-30%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

Safety Data Sheet acc. to OSHA HCS

Printing date 08/01/2013 Reviewed on 08/01/2013

Trade name: CRS ZPure™ H2O Moisture-Removing Purifier

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Prevent formation of dust.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components w	vith	limit val	lues tha	t require	monitorin	g at t	he workpl	ace:
----------------	------	-----------	----------	-----------	-----------	--------	-----------	------

1344-28-1 Aluminum oxide

PEL Long-term value: 15*; 15** mg/m³
*Total dust; ** Respirable fraction

REL Long-term value: 10* 5** mg/m³

*Total dust **Respirable fraction

TLV Long-term value: 1* mg/m³ as Al; *as respirable fraction

1305-78-8 Calcium oxide

PEL Long-term value: 5 mg/m³ REL Long-term value: 2 mg/m³

TLV Long-term value: 2 mg/m³

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/01/2013 Reviewed on 08/01/2013

Trade name: CRS ZPureTM H2O Moisture-Removing Purifier

14808-60-7 Quartz (SiO2)

PEL see Quartz listing

REL Long-term value: 0.05* mg/m³

*respirable dust; See Pocket Guide App. A

TLV Long-term value: 0.025* mg/m³

*as respirable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solid

Color: According to product specification

Odor: CharacteristicOdour threshold: Not determined.

· pH-value: Not applicable.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/01/2013 Reviewed on 08/01/2013

Trade name: CRS ZPure $^{\mathrm{TM}}$ H2O Moisture-Removing Purifier

		(Contd. of page
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.	
· Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:	not applicable	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F): Relative density Vapour density Evaporation rate	0.8 g/cm³ (6.676 lbs/gal) Not determined. Not applicable. Not applicable.	
· Solubility in / Miscibility with Water:	Insoluble.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
Solvent content: Organic solvents: Other information	0.0 % No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Strong irritant with the danger of severe eye injury.

(Contd. on page 6)

(Contd. of page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/01/2013 Reviewed on 08/01/2013

Trade name: CRS ZPureTM H2O Moisture-Removing Purifier

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (Inter	rnational Agency for Research on Cancer)	
7631-86-9	Silicon dioxide, chemically prepared	3
14808-60-7	Quartz (SiO2)	1
· NTP (Natio	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K

12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
DOI, ADN, ADN, IMDG, IAIA	v Oiu	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
· Class	Void	
· Packing group		
· DOT, ADR, IMDG, IATA	Void	

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/01/2013 Reviewed on 08/01/2013

Trade name: CRS ZPure™ H2O Moisture-Removing Purifier

Contd. of page 6

Environmental hazards:
Marine pollutant:
No
Special precautions for user
Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
Not applicable.

UN "Model Regulation":

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

1344-28-1 Aluminum oxide

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

14808-60-7 Quartz (SiO2)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

1344-28-1 Aluminum oxide

14808-60-7 Quartz (SiO2)

A2

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

14808-60-7 Quartz (SiO2)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/01/2013 Reviewed on 08/01/2013

Trade name: CRS ZPureTM H2O Moisture-Removing Purifier

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

Calcium oxide

· Hazard statements

Causes serious eye damage.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Product safety department
- · Contact: Product Safety Department
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

USA